




**KERAMICKÉ TRUBICE
CERAMIC TUBES**

LUNIT 20 (C530)





Keramické trubice Lunit 20 (C530)

Trubice z tohoto žáruvzdorného pórovitého mullitokorundového materiálu jsou vhodné pro pracovní teploty do 1600 °C. Jsou vhodné pro různá použití za vysokých teplot např. konstrukční součásti tepelných zařízení, nosiče topných těles, vypalovací pomůcky apod. Materiál Lunit 20 - porézní mullitokorundová hmota s obsahem 80 % Al_2O_3 .

pracovní teplota do 1600 °C

pevnost v ohybu min. 30 MPa

odolnost proti náhlé změně teploty min. 250 K


Ceramic tubes Lunit 20 (C530)

These tubes made of heat-resistant porous mullite-corundum material are suitable for operating temperatures of up to 1,600 °C. Therefore the tubes are widely used in various high-temperature applications including for the structural parts of thermal equipment, heating element carriers, firing equipment, etc. Made of Lunit 20 - porous mullite-corundum material containing 80 % Al_2O_3 .

Operating temperature up to 1,600 °C

Flexural strength min. 30 MPa

Thermal shock resistance min. 250 K



Trubice uzavřené Lunit 20 / COE tube C530

číslo výrobku / product code	vnější průměr / OD	vnitřní průměr / ID	pozn. / notes
L8920	37	29	
L9044	26	18	s přírubou / flange
L8529	26	20	
L8991	26	18	
L8675	20	15	
L8530	20	12	
L8680	18	12	

Trubice otevřené Lunit 20 / OBE tube C530

číslo výrobku / product code	vnější průměr / OD	vnitřní průměr / ID	pozn. / notes
L8550	60	50	
L8956	55	45	
L8900	54	45	
L9072	52,5	36,8	
L8595	49	41	
L8627	49	37	
L8947	49	18	
L9334	45	36	
L8596	41	31	
L9340	37,5	28	
L8538	36	28	
L8697	36	24	
L8669	35	20	
L8673	35	18	
L8678	35	10	
L8665	34	28	
L8560	32	25	
L8902	32	22	
L8641	30	22	
L8681	30	20	
L8570	26	20	
L8586	26	18	
L8539	26	18	s přírubou / flange
L8934	26	18	s přírubou / flange
L8557	26	8	
L8957	25	20	
L8670	25	15	
L8952	25	15	25 +0/-1
L8964	25	12	
L8969	25	10	
L9292	23	13	
L9001	23	10	
L8624	21,5	16	
L8970	21,5	13	

Trubice uzavřené Lunit 20 / COE tube C530

číslo výrobku / product code	vnější průměr / OD	vnitřní průměr / ID	pozn. / notes
L8685	20	15	
L8642	20	12	
L8643	20	11	
L8969	20	10	
L8663	20	7	
L8682	18	13	
L8603	18	12	
L8679	15	11	
L9002	15	10	
L9202	15	9	
L8982	15	7	
L8655	15	5	
L9134	13	9	
L9038	10	2	

Tyče Lunit 20 / Rods C530

číslo výrobku / product code	vnější průměr / OD
L9015	20
L8551	18
L8629	17,5
L8604	16
L9036	14
L8661	10
L9017	8
L8674	6
L8619	14 x 14
L8555	35*17

