




**KERAMICKÉ TRUBICE
CERAMIC TUBES**

LUNIT 20/1350 (C530/1350)





Keramické trubice Lunit 20/1350 (C530/1350)

Trubice z tohoto žáruvzdorného pórovitého mullitokorundového materiálu. Jsou vhodné pro různá použití za vysokých teplot např. konstrukční součásti tepelných zařízení, nosiče topných těles, vypalovací pomůcky apod. Materiál Lunit 20/1350 - porézní mullito-korundová hmota s obsahem 80 % Al_2O_3 .

pevnost v ohybu min. 10 MPa


odolnost proti náhlé změně teploty min. 250 K

Ceramic tubes Lunit 20/1350 (C530/1350)

These tubes made of heat-resistant porous mullite-corundum material. Therefore the tubes are widely used in various high-temperature applications including for the structural parts of thermal equipment, heating element carriers, firing equipment, etc. Made of Lunit 20/1350 - porous mullite-corundum material containing 80 % Al_2O_3 .

Flexural strength min. 10 Mpa

Thermal shock resistance min. 250 K



Trubice otevřené Lunit 20/1350 / OBE tube C530/1350

číslo výrobku / product code	vnější průměr / OD	vnitřní průměr / ID	pozn. / notes
L9174	140	120	
L9204	130	110	
L8915	123	105	
L8906	125	89	
L8667	119	100	
L9295	110	95	
L8656	108	85	
L9175	108	75	
L8645	100	85	
L9281	100	13	
L8978	95	75	
L9306	95	85/75	special profil
L9112	90	20	
L8644	89	70	
L9090	86	78	
L9030	85	75	
L9094	85	55	
L9258	82/70	60	
L9359	80/70	56	
L9177	80	68	
L9335	80	50	
L9343	76	62	
L9315	75	60	
L9339	75	50	
L9115	75	30	
L9084	72	63	
L8664	70	55	
L9105	70	40	
L9113	70	20	
L9360	65	55	
L8672	65	36	
L9119	62	10	
L9306	62	50/40	special profil
L9213	61	54	special profil
L8903	60	45	
L9132	60	40	
L8967	60	28	
L9121	60	25	
L9216	55	43	
L9265	52,5	28	
L9026	50	40	
L9104	50	34	
L9275	45	36	
L9062	45	32	
L9149	45	30	
L8508	45	25	
L9244	43	30	
L9172	43	27,5	special profil

Trubice otevřené Lunit 20/1350 / OBE tube C530/1350

číslo výrobku / product code	vnější průměr / OD	vnitřní průměr / ID	pozn. / notes
L9342	40	32	
L8980	40	30	
L9114	40	24	
L8633	40	20	20 +0,9/-0
L8983	40	16	
L9350	40	13	
L9155	40	8	
L8962	38	28	
L9000	35	25	
L8671	35	13	
L9220	35	12	special profil
L9147	35	10	
L9145	35	20	
L9228	35	12	special profil
L9220	35	12	special profil
L9348	34	27	
L9100	33	28	
L9032	32	24	
L8994	31	21	
L9056	30	22	
L9029	30	20	
L9304	30	15	
L9133	30	13	
L9065	30	10	
L9347	30	8	
L8995	26	18	
L9356	25	17	
L8987	25	15	25 +1/-0
L9028	25	15	
L9247	25	8	special profil
L9049	24	18	
L9212	23	17	
L9320	22	15	
L9318	20	12	
L8986	20	10	20 +0,9/-0
L9332	17	12	
L9154	16	13	
L9156	16	11	
L9351	16	9	
L9305	15	10	
L9325	15	9	
L9246	15	8	s přírubou / flange
L9328	15	7	
L9137	15	8	
L9165	13,5	9	
L8940	11	4	
L8914	11	3	
L9074	10	5	

Trubice uzavřené Lunit 20/1350 / COE tube C530/1350

číslo výrobku / product code	vnější průměr / OD	vnitřní průměr / ID	pozn. / notes
L9130	50	34	
L9146	49	29	
L8991	26	18	
L8996	24	18	
L8986	20	10	
L9005	23	17	
L9226	19	13	
L8998	17	12	
L9159	16	13	

Tyče Lunit 20/1350 / Rods C530/1350

číslo výrobku / product code	vnější průměr / OD	vnitřní průměr / ID	pozn. / notes
L9194	45		
L9116	35		
L9117	32		
L9314	6		

Speciální profily Lunit 20/1350 / Special profiles C530/1350

číslo výrobku / product code	vnější průměr / OD	vnitřní průměr / ID	pozn. / notes
L8622	40		D profil
L8601	19		D profil
L8630	17		hranol / prism
L9344	16*10		hranol / prism
L9120	15		special profil
L9211	108	22*6	special profil
L9173	80*80	20	tvarovka / component
L9279	60*45		L-profil
L9263	42	28/2*3	otvory / holes
L9053	29 x 29	9	hranol / prism
L9253	25	15	special profil
L8963	14,5/8	4,5	special profil
L9073	10*12		hranol / prism
L9003	10	2*2	2- kapilára / cap. 2-holes
L9297	36*28*24		special profil
L9300	42,8	37,4/30,8	special profil
L9302	75*65	32,8	šestihran / hexagon
L9317	42/32	30	special profil